

Your Partner In Copper-based Alloys








INGOTS (Linguist ore casted in a large number of alloys under any international standard.











We invested in a new warehouse with a stock capacity of 1.300 Tn.

www.apd-fundicion.com



Aluminium Bronze (CC333G) Tin Bronze (CC483K) Gun Metals (CC493K) High Resistance Brass (CC762S)

APD CONTINUOUS CASTING



We offer a wide range of tubes, rods and plates in our standard alloys under EN 1982:2018. We also accept tailor-made projects under any international standard.

Sizes					Alloy		Size	•				Alloy	- 3	Sizes					Alloy		Size					Alloy	
liverai	Outowed	Feishid	Firished	CC493K	CORRE	0013116	Delocied	Delivered	Finished	Firished	CCANN	CEARSE	OCHEC	Delivered	Delivered	Firshed	Finished	cceesk	CC4838	CCX196	Delivered	Delivered	Finished	Finished	CC493K	C0483K	CCE
27	13	25	15	d			77	56	75	GD .	4		d	132	GB .	130	70	(d)	1	1	300	136	200	100	4	A.	
32	13	30	18	¥	V		62	25	00	30	- 4	4	- 1	137	76	135	80	4	- 1	140	202	168	202	178	4	9	
32 37	15	30 36	20 15	٧.	20000	- 1	52 52	35 48	90 90	40 59	- 1	- 500	- 1	132	88 98	130	90 200	100000	4		212 212	178	210	140	=-07/		
37	18	35	20	7	1	- 1	82	53	90	55	7	2	- 1	132	108	130	110	V	Ý	1	712	158	200	100	- 4		
37	23	35	25	- 2	(1981)		52	58	90	60	- 4	40	100	142	36	140	60	10221	7		222	98	720	100		- 4	
42	13	10	15	1	- 4		82	63	80	65			V	142	te e	140	70	- 1		4	722	118	220	120			
42	1.5	40	20	- 4	1	X.	82	68	80	70			- A	142	78	140	80	- 4	*	N.	222	140	729	150	1		
42	.23	40	25	1	A	1	9.0	28	35	30		4		142	98	140	90		4	A.	232	138	235	140		A.	
42	24	40	30	¥	1	4	ay	.51	A5	40	4			142	200	£40	100	- 3	- 1	1	232	148	235	150	1		
47	18	45	20	1	4	4	87	-58.	85	50	4		A	142	105	140	310	V	4	1	232	178	230	180			
47	23	35	25	- X.	4	- 7	87	53	85	55		-	4	142	118	140	120	- 8	- 4	N.	742	158	245	160	4		
47	28	45	30	γ.	4	4	87	50	85	60	4	4	. V	152	10	150	70	3'	4	4	252	158	395	170			- 3
47	18	48 50	35	4	4	7	87	63 63	85	66 70	7		N	152	78 50	150	90		*	4							
52 52	23	50	20 25	V	1000	- 0	92	28	50	30	54		V	152	90	150	100	1	- 37	10							
52	28	50	30	7	1	7	92	31	SD	35	70		7	152	1015	120	110	- 1	7	1	Flat Ba	ars .					
52	31	50	35	1	(40)	4	92	-38	90	40	- 3	040	1	152	118	150	120	- 4	- 4	14	Standar	d Sizes.					
52	36	50	40	4	4	4	92	48	20	50	4	1	4	152	128	150	130		V.	4	12	312	10	310	4	ý	
51-	4.6	58	20	V			92	-58	.20	80	- 9	V	y	162	78	188	80			4	14	312	32	310		100	
57	25	55	25	V		4	92	68	90	70	4	4	4	162	58	160	50			V	17	312	15	310	1	1	
57	28	55	30	4	31	9:	92	78	90	80		- 100	- 1	162	98	150	100	3		4	12	312	20	310	4	ý	
57	35	58	35	V		ν.	97	43	95	45			. 1	162	103	150	110	- 7	¥	4	27	312	26	310	4	y.	
M.	36	55	40	ý		4	87.	-48	95	.80			- 4	102	11.6	150	190	-8	*	N.	32	312	30	310	- 4	*	-
57	43	55	45			4	97	58	95	60	4		V	152	128	150	130	4	¥	4	37	312	35	310	4	7	_
52 52	15 23	50 50	29 25	- 57	200	ν.	97 97	68 73	95 95	70 75	4		1	152	138 68	150 170	140 70	A.		4	42 52	312 312	60 50	310 310	- 4	- 1	-
52	25	50	36	4	4	4	102	- 31	100	40	4	- 16:	- 4	172	/8	170	60			1	107	312	(0)	210	V	1	
52	33	50	35	4	1	- 4	102	48	100	90	y.	7	4	172	58	170	50	- 1		Ž,	72	312	70	310	1	,	
52	35	50	40	- V	100	- 4	102	58	100	90	j.	- 10	- 4	172	98	170	100	- 4	- 2	- 11	82	312	80	310	- 61	- X	
52	43	50	45	1	100	751	102	68	100	70	ý.	4	1	172	108	170	110	- 4	4	4	92	312	90	310			
52	46	50	58	4	. 4	- 40	102	73.	100	75	- 3			173	118	170	120	984		197	102	315	102	358			
ध्य	23.	65	75		1		102	78	100	80	4	4	4	177	120	170	130	4		4	112	312	110	310			
tr	25	88	-30	W-	19	-4	107	-36	105	01)	- V			172	138	170	140	1000		- 100	122	312	120	310			
67	33	66	35	4	- 61	- 8	107	78	105	80	¥			172	140	170	150	- 4	100	1							
67 67	38 43	65	40 45	· ·		- 1	112	38 45	110	40 30	7	7	i	102	98	180	110	27	*	1				-			
67	45	85	30	2	230	- 0	312	- 58	110	40		7	- 0	187	118	180	120	200	70	-	_			1			
72	28	70	30	v.	Ý	- 7	112	65	110	70	Ÿ	7	- 4	182	128	180	130	v.	Ÿ	100.00				l i	1000		
72	38	TO	40	- 4	-20	4	112	78	110	30	4	1	- 4	182	138	180	100	d			1			. 0		000	
72	43	70	45	560	4	V.	112	86	110	90	V	7	- 3	182	148	180	150	- 1	4	- 1	1		CONTRACT OF THE PARTY OF	V		Str. I	
72	45	70	50	*	1	4	117	95	115	100	- 4			192	108	190	210	4			1		1	1		79	
12	53	/tu	55	4	-		122	36	120	40			9	192	118	190	120	4	V.		1	100			No.		
172	:55	100	ab	4.		- 4	122	46	120	30		1	- 1	192	1.50	190	140			775					1	100	
77	.23	75	25		V		122	58	120	60	₩.		4	192	140	190	150	3,823		1							
17	33	15	35	100	14	*	127	68	120	79	*	1	- 4	192	198	193)	180	50	250	100/	1	- 47				1	
77	35	75	40	*		*	122	78	120	80	4	í	d	202	98	200	100	- 1	4.	A.		W	<u>)</u>	The same of	1		
Ħ	43	79	45			- 1	122	88	120	90		Ψ.		202	118	200	120	4	- 4	100	- 10		1	-		1-0	
77	48	75	30	*	, A	*	122	95	120	100	4	Ý	3	202	138	200	-140	*	4				1	00	· II		
77	93	70	35	4			337	58	130	190	- W		- 14	202	140	200	1997		4	-			The second second	T 11	111		

www.apd-fundicion.com



worehouse with a stock capacity of 1.500 Tn.

Standerd	31203							
Sizes		Alloy						
Delivered	Finished	CC493K	сскави	003199				
17	15	4	1					
20	18	N						
27	20	N	-1	- 1				
21	28	- 7		4				
32	50	4	4	4				
37	36	4	- 4	- 3				
42	40	1	4	1				
(AX)	45	×	- 4	- 3				
51	50	A	4	1				
57	55	- 4	-1-	- 2				
63	80	V	4	4				
GF.	88	1	- 4	- 1				
72	70	N	4	4				
77	75	- 4	- 1	- 9				
82	50	4	1	A.				
92	90	4	4	- 1				
97	96	V		1				
162	100	- 1	4	- 1				
112	110	4	- 1	4				
122	120	N	- 1					
127	125	4	4	(v)				
132	130	- 1	- 1	- 9				
142	140	4	4	4				
152	190	4	- 1	4				
102	100	V	- 4	V				
132	170	N	4	31				
182	180	1	1	N				
192	190	4	9.	- 9				
202	200			4				
212	210	- 2	4	- 4				
222	220			- 0				
233	231		- 60	(4)				
243	241	1		1				
253	251			100				








QUALITY LABORATORY











The company's R & D department is focused on the continuous improvement of production processes and products in order to offer our clients the best solutions for their needs



Sales. Tel. +34 93 840 49 90

apdexport@apd-fundicion.com customer@apd-fundicion.com apdsales@apd-fundicion.com

Purchases. Tel. +34 93 840 49 90



C/ Luxemburg, s/n 08520 Les Franqueses del Vallès Barcelona. Spain